











POPLAR

POPLAR CO., LTD.

松江實業股份有限公司



Body Stain 21 Series

Product No.	Color	System	Max. Temp.	Atmosphere	3%
21101	Chrome Green	Al-Cr	1300 ⁰ C	Oxidation~Reduction	
21104	Chrome Green	Al-Cr	1300 ⁰ C	Oxidation~Reduction	
21202	Turquoise Blue	Zr-Si-V	1280 ⁰ C	Oxidation~Reduction	
21236	Cobalt Blue	Al-Si-Co	1300 ⁰ C	Oxidation	
21238	Cobalt Blue	Al-Si-Co	1300 ⁰ C	Oxidation	
21303	Pr-Yellow	Zr-Si-Pr	1250 ⁰ C	Oxidation	
21315	Vanadium Yellow	Zr-V	1350 ⁰ C	Oxidation~Reduction	
21323	Titanium Yellow	Ti-Sb	1280 ⁰ C	Oxidation	
21329	Titanium Yellow	Ti-Sb	1250 ⁰ C	Oxidation	
21333	Titanium Yellow	Ti-Sb	1280 ⁰ C	Oxidation	
21345	Yellow Brown	Ti-Sb-Cr	1280 ⁰ C	Oxidation	
21351	Brown	Ti-Sb-Cr	1280 ⁰ C	Oxidation	
21363	Titanium Yellow	Ti-Sb-Cr	1280 ⁰ C	Oxidation	
21365	Titanium Yellow	Ti-Sb-Cr	1280 ⁰ C	Oxidation	
21369	Titanium Yellow	Ti-Sb-Cr	1280 ⁰ C	Oxidation	
21407	Grey Black	Si-Cr-Fe	1300 ⁰ C	Oxidation	
21408	Black	Cr-Fe	1300 ⁰ C	Oxidation	
21409	Black	Cr-Fe	1300 ⁰ C	Oxidation	
21410	Black	Cr-Fe	1300 ⁰ C	Oxidation	
21528	Grey	Sn-Sb	1250 ⁰ C	Oxidation	
21660	Coffee	Fe-Cr-Al	1250 ⁰ C	Oxidation	
21677	Dark Brown	Ti-Cr-Sb	1250 ⁰ C	Oxidation	
21678	Brown	Ti-Cr-Sb	1250 ⁰ C	Oxidation	
21706	Coral Pink	Zr-Si-Fe	1250 ⁰ C	Oxidation	
21736	Pink	Al-Mn	1350 ⁰ C	Oxidation~Reduction	
21737	Pink	Al-Mn	1350 ⁰ C	Oxidation~Reduction	
21763	Orange	Al-Si-Fe	1250 ⁰ C	Oxidation	
21767	Orange	Al-Si-Fe	1250 ⁰ C	Oxidation	

A decorative graphic consisting of several colored circles in shades of yellow, orange, and red, arranged in a cluster to the right of the "Contact Us" button.

Contact Us

A vertical decorative image showing a close-up of a textured surface, possibly a tree trunk or bark, with warm tones of brown and orange.

Head Office

No. 33, Lane 12, Chi Lin Road, Taipei, Taiwan

Tel: +886-2-2561-8191

Fax: +886-2-2541-8008

Email: poplarsg@ms58.hinet.net

Http:// www.poplar.com.tw